

TITMUS

Prescription Safety Frames



Prescription Safety Frames Product Catalog

Featuring Titmus® SRx Frames



SWRX COLLECTION

The SWRx Collection features aggressive designs and superior coverage. This group of safety frames has set a new standard for prescription safety eyewear.



TITMUS SW02

- Sizes: 54.17.130; 56.17.135
- Colors: BLV Blue Venom, GTW Gray Tumbleweed, ADB Adobe Brown
- Features: Stainless steel, spring hinge, 15° face-form wrap
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS02/CS02S
- Standards: ANSI Z87.1-2010, EN166



TITMUS SW03

- Sizes: 54.15.135; 56.15.140; 58.15.145
- Colors: BLV Blue Venom, DSD Desert Sand, KCH Knife Chrome
- Features: Stainless steel, spring hinge, nickel-free plating, 15° face-form wrap
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS03/CS03S
- Standards: ANSI Z87.1-2010



TITMUS SW04

- Sizes: 50.20.130; 53.20.135;
- Colors: BLU Blue, BRN Brown, GML Gunmetal, WIN Wine
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Side shields: Top/Side Shield, Clear/Smoke available, CS04/CS04S
- Standards: ANSI Z87.1-2010



TITMUS SW06

- Size: 57.16.125
- Colors: BRN Brown/Orange Accents, BLK Black/Yellow Accents, CLR Clear Body/Black/Yellow Accents
- Features: Trogamid nylon, no metal content, removable/replaceable dust dam, adjustable nose pads, 17° face-form wrap
- No replacement temples, integral shield design
- Standards: ANSI Z87.1-2010



TITMUS SW06E

- Sizes: 57.16.125
- Colors: BRN Brown/Yellow accents, BLK Black/Orange accents, ROS Rose/Pink accents
- Features: Trogamid nylon, no metal content, removable/replaceable dust dam, adjustable nose pads, 17° face-form wrap
- No replacement temples, integral extended shield design
- Standards: ANSI Z87.1-2010, EN166

SWRX COLLECTION



Foam insert

TITMUS SW07

- Sizes: 60.13.127
- Colors: BLU Blue, BRN Brown, GML Gunmetal
- Features: Injection molded nylon, no metal content, removable foam insert, adjustable strap, 17° face-form wrap, integral extended shield design
- No replacement temples
- Side shield: Integral design
- Standards: ANSI Z87.1-2010, EN166

Available in three ordering options:

- Type 1: Frame comes complete and assembled with attached temples, foam insert, medium nose pads. Ships with optional small and large replacement nose pads and expandable strap/headband.
- Type 2: Frame comes complete and assembled with attached temples, foam insert and medium nose pads. Ships with small and large replacement nose pads.
- Type 3: Frame comes complete and assembled with attached temples and medium nose pads. Ships with small and large replacement nose pads.



TITMUS SW08

- Sizes: 53.17.110, 56.17.115
- Colors: BLK Black, BRN Brown, TOR Tortoise
- Features: Hand made acetate, wrapped endpieces
- No replacement temples
- Side shield: None — Temple coverage meets requirements
- Standards: ANSI Z87.1-2010



TITMUS SW09R LIVEWIRE SEALED EYEWEAR

- Sizes: 6 Base-56.21.127, 8 Base-59.21.127
- Colors: BLK Black, BLU Blue, RED Red
- Features: No metal content, removable foam insert, ratcheting temples, interchangeable temples and headband.
- No replacement temples
- Side Shield: Integral Design
- Standards: ANSI Z87.1-2010 and CSA Z94.3
- Anti-fog lens coating recommended with this frame style.
- Available as Plano

SWRX COLLECTION



TITMUS SW10 HYPERSHOCK

- Sizes: 6 Base-53.22.125, 8 Base-56.22.125
- Colors: BLK Black, CLR Clear, WHT White, TOR Tortoise, CAMO Camo, BRN Brown
- Features: No metal content, close fitting design, wrapped end pieces
- No replacement temples
- Side Shield: Integral Design
- Standards: ANSI Z87.1-2010
- Anti-fog lens coating recommended with this frame style.
- Available as Plano



TITMUS SW12

- Sizes: 6 base-62.15.125, 8 Base-64.17.125
- Colors: BLK/BLK – Black with Black Accents, BLK/GRN – Black with Green Accents, BLK/PUR – Black with Purple Accents, GRY/ORG – Gray with Orange Accents, PUR/LAV – Purple with Lavender Accents
- Features: 6 and 8-base lens configurations accommodate virtually any prescription. Removable foam insert
- No Replacement temples
- Side Shield: Integrated Design
- Standards: ANSI Z87.1-2010



TRENDSETTERS COLLECTION



TITMUS TR301S

- Sizes: 48.19.140; 50.19.145; 52.19.145
- Colors: GRA Gray, BRN Brown
- Features: Stainless steel, spring hinge
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS65/CS65S
- Standards: ANSI Z87.1-2010



TITMUS TR302S

- Sizes: 49.21.140; 51.21.145
- Colors: GRA Gray, BRN Brown, BUR Burgundy
- Features: Stainless steel, spring hinge
- No replacement temples
- Side shield: T-LOC® only, CS66
- Standards: ANSI Z87.1-2010



TITMUS TR303S

- Sizes: 48.21.140; 50.21.145
- Colors: GRA Gray, BRN Brown
- Features: Stainless steel, spring hinge
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



TITMUS TR304S

- Sizes: 49.20.140; 51.20.145
- Colors: ROS Rose, GRA Gray, ANB Antique Brown
- Features: Stainless steel, spring hinge
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



TITMUS TR306S

- Sizes: 51.19.140; 53.19.145
- Colors: DBR Dark Brown Matte, DBL Dark Blue Matte
- Features: Stainless steel, spring hinge, sunglass clip-on available
- No replacement temples
- Side shield: T-LOC® only, CS67
- Standards: ANSI Z87.1-2010



TRENDSETTERS COLLECTION



TITMUS TR307S

- Sizes: 53.21.140; 56.21.145
- Colors: CHR Dark Chrome, WAL Walnut
- Features: Stainless steel, spring hinge, extra large fit
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS65/CS65S
- Standards: ANSI Z87.1-2010



TITMUS TR308S

- Sizes: 51.17.135; 53.17.140
- Colors: BRN Brown, CBT Cobalt, CPR Copper
- Features: Stainless steel, spring hinge,
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



TITMUS TR309S

- Sizes: 46.19.135; 48.19.135; 50.19.140
- Colors: BRN Brown, GRA Gray, VIO Violet
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



TITMUS TR310S

- Sizes: 47.19.135; 49.19.135; 51.19.140
- Colors: GRA Gray, GRN Green, VIO Violet
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



TITMUS TR311S

- Sizes: 56.14.135; 58.15.135; 60.16.140
- Colors: BRN Brown, GLD Gold and PEW Pewter
- Features: Stainless steel, corrosion-resistant, OBE double-action spring hinge, N-Tite® system
- No replacement temples
- Side shield: CS31
- Standards: ANSI Z87.1-2010, EN166



TITMUS TR312S

- Sizes: 51.18.135 "H" (small fit) and 53.18.140
- Colors: VIO Violet, BRN Brown, GML Gunmetal
- Features: Stainless steel construction, double action spring hinges, adjustable bridge type and "flex" shield design, OBE 5 – Barrel Double Action Cam, N-Tite® system
- No replacement temples
- Side shield: CS11
- Standards: ANSI Z87.1-2010

TRENDSETTERS COLLECTION



TITMUS TR315

- Sizes: 51.14.130; 53.14.135
- Colors: Burgundy with red layers, blue with turquoise layers
- Features: Handmade acetate frames, multi-layered design
- No Replacement temples
- Side Shields: C315
- Standards: ANSI Z87.1-2015



TITMUS TR316

- Sizes: 51.13.130; 53.13.135
- Colors: Black with white layers, brown with tan layers
- Features: Handmade acetate frames, multi-layered design
- No Replacement temples
- Side Shields: C316
- Standards: ANSI Z87.1-2015



TITMUS TR317

- Sizes: 52.16.140; 54.16.145
- Colors: Black with blue layers, black with yellow layers
- Features: Handmade acetate frames, multi-layered design
- No Replacement temples
- Side Shields: C317
- Standards: ANSI Z87.1-2015



TITMUS TR318

- Sizes: 52.17.140; 54.17.145
- Colors: Black and Brown fade
- Features: Handmade acetate frames, multi-layered design
- No Replacement temples
- Side Shields: C318
- Standards: ANSI Z87.1-2015

TITANIUM COLLECTION



TITMUS EXT2

- Sizes: 56.16.145; 58.16.150
- Colors: TOR Tortoise, ANP Antique Pewter, BRN Brown
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: CS83
- Standards: ANSI Z87.1-2010



TITMUS EXT4

- Sizes: 47.20.135; 50.20.135; 52.20.140
- Colors: TOR Tortoise, ANP Antique Pewter, ANB Antique Brown
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS96/CS96S
- Standards: ANSI Z87.1-2010, EN166



TITMUS EXT5

- Sizes: 48.20.140; 51.20.145
- Colors: BRN Light Brown/Tortoise, BRZ Satin Bronze, GRA Light Gray/Tortoise
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: T-LOC® only, CS95
- Standards: ANSI Z87.1-2010



TITMUS EXT6

- Sizes: 49.19.140; 51.19.145
- Colors: GLD Goldtone, GRA Gray, BRN Brown
- Features: 100% Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



TITMUS EXT8

- Sizes: 49.19.140; 51.19.145
- Colors: BRN Brown, STL Steel
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010

TITANIUM COLLECTION



TITMUS EXT9

- Sizes: 49.20.140; 51.20.145
- Colors: DBR Dark Brown Matte, DGY Dark Gray Matte
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: T-LOC® only, CS67
- Standards: ANSI Z87.1-2010



TITMUS EXT10

- Sizes: 53.18.140; 55.18.145
- Colors: DBR Dark Brown Matte, DGM Dark Gunmetal
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: T-LOC® only, CS67
- Standards: ANSI Z87.1-2010, EN166



TITMUS EXT11

- Sizes: 50.19.140; 52.19.145
- Colors: BRN Brown, GLD Gold and GML Gunmetal
- Features: Titanium 100, light, corrosion-resistant, OBE double-action spring hinge, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, patented flex shield, CS11
- Standards: ANSI Z87.1-2010



TITMUS EXT12

- Sizes: 49.19.135, 51.19.140
- Colors: BRN Brown, GLD Gold and WIN Wine
- Features: Titanium 100, light, corrosion-resistant, OBE double-action spring hinge, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, patented flex shield, CS12
- Standards: ANSI Z87.1-2010

TITANIUM COLLECTION



TITMUS EXT13

- Sizes: 51.18.140 ("H" small fit)
- Colors: TPE Taupe, BLK Satin Black and SGL Satin Gold
- Features: Memory metal technology, Metal 3-barrel hinge and N-Tite® System
- No replacement temples
- Side shield: Detachable, T-Loc® only, CS13
- Standards: ANSI Z87.1-2010



TITMUS EXT14

- Sizes: 51.18.140; 53.18.145
- Colors: BRN Brown, BLK Black
- Features: Monobloc Metal 3 – barrel hinge, Memory metal technology and N-Tite® System
- No replacement temples
- Side shield: Detachable, T-Loc® only, CS14
- Standards: ANSI Z87.1-2010



TITMUS EXTS1

- Sizes: 48.21.140; 50.21.145
- Colors: LBR Light Brown Matte, LGR Light Gray Matte
- Features: Titanium, spring hinge, nickel-free plating, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



TITMUS EXTS2

- Sizes: 48.21.140; 50.21.145
- Colors: LBR Light Brown Matte, DKB Dark Brown Matte
- Features: Titanium, spring hinge, nickel-free plating, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010

EXCLUSIVE COLLECTION



TITMUS HP01

- Sizes: 51.18.135; 53.18.140
- Colors: BRN Brown, GMT Patina
- Features: Stainless steel; spring hinge, Patent-Pending "High-Performance Lens Retention System"
- No replacement temples
- Side Shield: T-LOC® only, new patented flex shield, CS30
- Standards: ANSI Z87.1-2010



TITMUS HP02

- Sizes: 51.19.135; 53.19.140
- Colors: BLK Black, BRN Brown
- Features: Stainless steel; spring hinge, Patent-Pending "High-Performance Lens Retention System"
- No replacement temples
- Side Shield: T-LOC® only, new patented flex shield, CS32
- Standards: ANSI Z87.1-2010



TITMUS HP03

- Sizes: 50.17.135; 52.17.140
- Colors: BRN - Brown, GRA - Gray, and BUR - Burgundy
- Features: Lightweight, durable, "High-Performance Lens Retention System"
- No replacement temples
- Side Shield: C103 Top and Side
- Standards: ANSI Z87.1-2010



TITMUS EX275S

- Sizes: 50.18.135; 52.20.140
- Colors: BLU Blue, BRN Brown, PEW Pewter
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS65/CS65S
- Standards: ANSI Z87.1-2010



TITMUS EX281S

- Sizes: 53.17.133 "H" (Small fit) and 56.17.138 "H" (Small fit)
- Colors: BLK Black (available only with 53mm eyesize), BRN Brown and TOR Tortoise
- Features: Stainless steel split temple construction, handmade acetate matching temple tips and saddle fit bridge design, Metal 3-barrel hinge
- No replacement temples
- Side shield: Detachable, T-Loc® only, CS29
- Standards: ANSI Z87.1-2010

PREMIER COLLECTION



TITMUS PC250A or PC250SWA

- Sizes: 54.16.140; 56.16/18.145; 58.18.145
- Colors: GLD Goldtone, PEW Pewter, TOR Tortoise, BRN Brown
- Features: Spring hinge, molded uni-fit bridge (PC250SWA)
- Note: PC250SWA not available in Goldtone
- Side shield: Gray shield available, CS82/CS82S
- Standards: ANSI Z87.1-2010, EN166



TITMUS PC261

- Sizes: 56.16.140; 59.16.145
- Colors: TOR Tortoise, BRN Brown, DGR Demi Gray
- Features: Spring hinge
- Side shield: Gray shield available, CS82/CS82S
- Standards: ANSI Z87.1-2010



TITMUS PC264

- Sizes: 50.20.140; 52.20.145
- Colors: GML Gunmetal, ANG Antique Goldtone, ANB Antique Brown
- Features: Spring hinge
- Side shield: Gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



TITMUS PC267

- Sizes: 49.20.140; 51.20.145
- Colors: GRA Gray, ANB Antique Brown
- Features: Spring hinge
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



TITMUS PC268

- Sizes: 53.20.140; 55.20.145
- Colors: ANB Antique brown, CHR Chrome
- Features: Spring hinge
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010, EN166

PREMIER COLLECTION



TITMUS PC269

- Sizes: 49.16.125; 52.16.130
- Colors: GRA Gray, BLK Black, BRN Brown
- Features: Spring hinge, 135mm temples available
- Side shield: T-LOC® only, CS69
- Standards: ANSI Z87.1-2003



TITMUS PC280

- Sizes: 49.18.135; 52.18.140
- Colors: BLU Blue, BRN Brown, ROS Rose
- Features: Spring hinge
- Side shield: T-LOC® only, CS62
- Standards: ANSI Z87.1-2010

BASELINE COLLECTION



TITMUS FC601A

- Sizes: 54.16.140; 57.16.145; 60.16.145
- Colors: GLD Goldtone, PEW Pewter
- Side shield: Gray shield available, CS82/CS82S
- Standards: ANSI Z87.1-2010, EN166



TITMUS FC703

- Sizes: 52.20.140; 54.20.145
- Colors: GLD Gold, GML Gunmetal
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



TITMUS FC704

- Sizes: 49.18.140; 51.18.145
- Colors: BRN Brown, GRA Gray
- Side shield: CS94
- Standards: ANSI Z87.1-2010, EN166

BASELINE COLLECTION



TITMUS FC705

- Sizes: 50.19.140; 52.19.145
- Colors: BRN Brown, GRA Gray
- Side shield: CS94
- Standards: ANSI Z87.1-2010, EN166



TITMUS FC706

- Sizes: 49.20.140; 51.20.145
- Colors: ANB Antique Brown, ASM Antique Silver Matte
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010, EN166



TITMUS FC707

- Sizes: 50.21.140; 52.21.145
- Colors: ANB Antique Brown, DGM Dark Gunmetal
- Side shield: T-LOC® only, CS67
- Standards: ANSI Z87.1-2010, EN166



TITMUS FC709

- Sizes: 51.19.140; 53.19.145
- Colors: GLD Goldtone, GML Gunmetal
- No replacement temples
- Side shield: Gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010, EN166



TITMUS TM10A

- Sizes: 50.20.140; 52.20/22.145; 54.20/22.150
- Colors: GLD Goldtone, GML Gunmetal, SIL Silvertone
- Side shield: CS74
- Standards: ANSI Z87.1-2010

BASELINE COLLECTION



TITMUS BC101

- Sizes: 54.17.140; 56.17.145; 58.17.150
- Colors: GLD Goldtone, DMB Demi Amber, DGR Demi Gray
- Features: Spring hinge
- Side shield: CS101
- Standards: ANSI Z87.1-2010, EN166



TITMUS BC102A

- Sizes: 54.15.140; 56.15.140; 58.15.145; 60.15.145
- Colors: GLD Goldtone, DMB Demi Amber, GML Gunmetal
- Features: Spring hinge
- Side shield: CS101
- Standards: ANSI Z87.1-2010, EN166



TITMUS BC104A

- Sizes: 51.19.140; 53.19.145
- Colors: GLD Goldtone, GML Gunmetal
- Features: Spring hinge
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010, EN166



TITMUS BC109

- Sizes: 49.19.135; 51.19.140; 53.19.140
- Colors: ANG Antique Gold, DMB Demi Amber, DRD Demi Red
- Features: Spring hinge
- Side shield: T-LOC® only, gray shield available, CS96/CS96S
- Standards: ANSI Z87.1-2010, EN166



TITMUS BC115

- Sizes: 48.20.140; 51.20.145
- Colors: DBZ Dark Bronze, DST Dark Steel
- Features: Spring hinge
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



TITMUS BC116

- Sizes: 50.18.135 "H" (Small fit) and 53.18.140 "H"
- Colors: BRN Brown, GML Gunmetal
- Features: Monel fronts with stainless steel temples for long-lasting performance. Metal 3 - barrel hinge.
- Side shield: Detachable - T-Loc only, CS12
- Standards: ANSI Z87.1-2010

STANDARD COLLECTION



TITMUS SC900

- Sizes: 52.14.140; 54.14.145; 56.15.145
- Colors: BRN Brown, SMK Smoke, TAN Tan
- Features: Standard temple
- Note: Also available as stock plano
- Side shield: CS75
- Standards: ANSI Z87.1-2010, EN166



TITMUS SC901

- Sizes: 54.14.145; 56.15.145
- Colors: BRN Brown, SMK Smoke, TAN Tan
- Features: Integral shields
- Note: Also available as stock plano
- Standards: ANSI Z87.1-2010



TITMUS SC910

- Sizes: 52.16.140; 55.18.145
- Colors: GRA Gray and BRN Brown
- Features: Integral side shields, low metal content, propionate front with polycarbonate temples, replacement temples are same for both SC910/SC915
- Side shield: Integral
- Standards: ANSI Z87.1-2010



TITMUS SC915

- Sizes: 51.19.140; 54.21.145
- Colors: BRN Brown and GRA Gray
- Features: Integral side shields, low metal content, propionate front with polycarbonate temples, replacement temples are same for both SC910/SC915
- Side shield: Integral
- Standards: ANSI Z87.1-2010, EN166

STANDARD COLLECTION



TITMUS SP83/SP83BF with eye cup

- Sizes: SP83: 50.20.140; 52.20.145; 54.20.150/SP83BF: 52.20.145; 54.20.150
- Colors: BRN Brown, GRA Gray
- Features: 7 BBL hinge
- Note: SP83BF is only available with permanently attached cup sideshields (#9 clear perforated or #13 wire mesh)
- Side shield: CS77
- Standards: ANSI Z87.1-2003, EN166



TITMUS 70F

- Sizes: 48.20.140; 48.22/24.145; 50.22.150; 50.24.155
- Colors: GRA Gray, BLK Black
- Features: 5 BBL hinge
- Side shield: CS77
- Standards: ANSI Z87.1-2003, EN166



UVEX Stealth®

- Size: One size
- Colors: S39630C Clear lens/Orange and Gray body
S39631C Gray lens/Orange and Gray body
- Features: Designed for both chemical splash and impact, Rx insert (S3959), Uvextreme® anti-fog lens coating
- Standards: ANSI Z87.1-2010, CSA Z94.3



Uvex AstroSpec RX® 3003

- Sizes: One size with Duoflex® adjustable soft “comfort cushion temples”
- Colors: Blue, Black
- Notes: Propionate Rx carrier can be tinted
- Standards: ANSI Z87.1-2010, EN166



GENESIS XC® shown with Rx carrier

- Sizes: One size with adjustable temples
- Colors: Black
- Notes: Available with Clear, Gray or Mirror coated lenses, sold in boxes of 10, Uvex XC Rx carrier sold individually and separately
- Standards: ANSI Z87.1-2010, CSA Z94.3

SIDESHIELD/FRAME MATRIX

We strongly recommend the use of sideshields on all protective eyewear. Please allow additional time for processing permanently attached sideshield orders.



SIDESHIELDS

Clear	Gray	Sideshield Cross Reference	Item #
CS02	CS02S	SW02	17219 / 18143
CS03	CS03S	SW03	17834 / 18318
CS04	CS04S	SW04	18410 / 18576
CS11	N/A	EXT11, TR312S	18888
CS12	N/A	EXT12, BC116	18889
CS13	N/A	EXT13	19198
CS14	N/A	EXT14	19284
CS29	N/A	EX281S	19252
CS30	N/A	HP01	19418
CS31	N/A	TR311S	18887
CS32	N/A	HP02	19469
CS60	CS60S	EXT6, EXTS1, EXTS2, TR303S, TR304S, TR309S, FC706, PC267, BC115	13774 / 16243
CS62	N/A	PC280	13807
CS64	CS64S	EXT8, PC264, FC703, FC709, PC268, BC104A, TR308S, TR310S	13811 / 16289
CS65	CS65S	TR301S, TR307S, EX275S	14687 / 16299
CS66	N/A	TR302S	14740
CS67	N/A	TR306S, EXT9, EXT10, FC707	14776
CS68	N/A	PC266A	15627
CS69	N/A	PC269	18319
CS74	N/A	TM10A	58516
CS75	N/A	SC900	58520
CS77	N/A	70F, SP83	58528
CS82	CS82S	FC601A, PC250A / PC250SWA, PC261	76075 / 80092
CS83	N/A	EXT2	17072
CS94	N/A	FC704, FC705	13614
CS95	N/A	EXT5	13568
CS96	CS96S	EXT4, BC109 for T-LOC® System	13717 / 16789
C101	N/A	BC101, BC102A	86693
C315	N/A T	R315	19604
C316	N/A	TR316	19605
C317	N/A	TR317	19606
C318	N/A	TR318	19607
C103	N/A	HP03	19577

#9 CLEAR PERFORATED CUP SHIELD FRAMES

#9	N/A	SP83BF	N/A
----	-----	--------	-----

#13 WIRE MESH CUP SHIELD FRAMES

#13	N/A	SP83BF	N/A
-----	-----	--------	-----

SWRX
COLLECTION

TRENDSETTERS
COLLECTION

TITANIUM
COLLECTION

EXCLUSIVE
COLLECTION

PREMIER
COLLECTION

BASELINE
COLLECTION

STANDARD
COLLECTION